CLINICAL ORAL INVESTIGATIONS



Springer

REVIEW



Sealing materials for post-extraction site: a systematic review and network meta-analysis

Massimo Del Fabbro^{1,2} · Grazia Tommasato¹ · Paolo Pesce³ · Andrea Ravidà⁴ · Shahnawaz Khijmatgar¹ · Anton Sculean⁵ · Matthew Galli⁴ · Donato Antonacci⁶ · Luigi Canullo⁵ □

Received: 12 July 2021 / Accepted: 26 October 2021 © The Author(s) 2021

Abstract

Aim By means of a systematic review and network meta-analysis, this study aims to answer the following questions: (a) does the placement of a biomaterial over an extraction socket lead to better outcomes in terms of horizontal and vertical alveolar dimensional changes and percentage of new bone formation than healing without coverage? And (b) which biomaterial(s) provide(s) the better outcomes?

Materials and methods Parallel and split-mouth randomized controlled trials treating ≥ 10 patients were included in this analysis. Studies were identified with MEDLINE (PubMed), Embase, Cochrane Central Register of Controlled Trials, and Scopus. Primary outcomes were preservation of horizontal and vertical alveolar dimension and new bone formation inside the socket. Both pairwise and network meta-analysis (NMA) were undertaken to obtain estimates for primary outcomes. For NMA, prediction intervals were calculated to estimate clinical efficacy, and SUCRA was used to rank the materials based on their performance; multidimensional ranking was used to rank treatments based on dissimilarity. The manuscript represents the proceedings of a consensus conference of the Italian Society of Osseointegration (IAO).

Results Twelve trials were included in the qualitative and quantitative analysis: 312 sites were evaluated. Autologous soft tissue grafts were associated with better horizontal changes compared to resorbable membranes. A statistically significant difference in favor of resorbable membranes, when compared to no membrane, was found, with no statistically significant heterogeneity. For the comparison between crosslinked and non-crosslinked membranes, a statistically significant difference was found in favor of the latter and confirmed by histomorphometric NMA analysis. Given the relatively high heterogeneity detected in terms of treatment approaches, materials, and outcome assessment, the findings of the NMA must be interpreted cautiously.

Conclusions Coverage of the healing site is associated with superior results compared to no coverage, but no specific sealing technique and/or biomaterial provides better results than others. RCTs with larger sample sizes are needed to better elucidate the trends emerged from the present analysis.

Clinical relevance Autologous soft tissue grafts and membranes covering graft materials in post-extraction sites were proved to allow lower hard tissue shrinkage compared to the absence of coverage material with sealing effect. Histomorphometric analyses showed that non-crosslinked membranes provide improved hard tissue regeneration when compared to crosslinked ones.

Keywords Alveolar ridge preservation · Coverage · Resorbable membrane · Non-resorbable membrane · Crosslinked membrane · Non-crosslinked membrane · Histomorphometric analysis · Systematic review · Network meta-analysis

The manuscript represents the proceedings of a consensus conference of the Italian Academy of Osseointegration (IAO, https://www.iao-online.com).

Massimo Del Fabbro and Grazia Tommasato contributed equally and share first authorship in the making of this manuscript.

Extended author information available on the last page of the article

Published online: 25 November 2021

Introduction

After dental extractions, a wound healing cascade occurs in fresh extraction sockets involving both hard and soft tissues. This sequence of biological events results in variable horizontal and vertical alveolar ridge resorption, both at the buccal and palatal/lingual aspects. This bone



remodeling process may vary depending on individual local and systemic factors but especially affects the bucco-coronal horizontal thickness [1, 2] at anterior sites [3]. This phenomenon appears to be progressive and often results in esthetic and functional challenges during rehabilitation of partial or complete edentulism with dental implants [4].

To minimize the probability of needing bone augmentation at the time of implant placement, a wide variety of alveolar ridge preservation (ARP) materials have been described over the last decades. These include grafting with different biomaterials or biological agents with or without the placement of barriers to prevent ingrowth of soft tissues into the socket [5, 6, 7]. The biomaterial used to seal the socket should ideally inhibit epithelial and connective tissue ingrowth, stabilize the grafting material, and limit bacterial contamination [8]. In addition to resorbable and non-resorbable membranes, different biomaterials utilized for soft tissue augmentation such as autogenous free gingival grafts, dermal allografts, and collagen matrix xenografts have also been used to seal the socket [6, 9, 10].

Resorbable and non-resorbable membranes can be totally covered with a coronally advanced flap to achieve primary closure following the biologic principles of guided bone regeneration. However, this procedure inevitably leads to a change in the gingival architecture and position of the mucogingival junction. To avoid this, collagen membranes with different resorption periods may intentionally be left exposed to provide a transient barrier function [11]. The use of a dense polytetrafluoroethylene (d-PTFE) membrane with a low porosity also allows membrane exposure [12, 13]. Human placental allograft membranes [12], collagen sponges [8], and xenogenic non-crosslinked collagen matrices have also been utilized to seal sockets in this manner. Histologic studies of noncrosslinked collagen matrices in non-submerged or submerged environments revealed complete integration with mature mucosal and submucosal tissues and revascularization of the membrane after 3 months [14, 15]. Clinically, collagen matrices, when utilized as a barrier during ARP, are associated with a sufficient width of newly formed keratinized soft tissue [8, 16, 17]. Autogenous soft tissue grafts are another alternative but are associated with relatively high morbidity due to the fact they must be harvested from the palate.

However, at present, the influence of different biomaterials used to seal the socket on final ridge dimensions or histologic outcomes after ARP is not fully understood [11]. Therefore, the aim of the present systematic review and meta-analysis was to evaluate and compare the effect of different coverage materials (autologous palatal gingival grafts, resorbable membranes, and non-resorbable membranes) for ARP.



Materials and methods

Study registration

This review was conducted following the PRISMA guidelines (http://www.prisma-statement.org/). The review protocol was registered with PROSPERO (submission No. 196275).

The manuscript represents the proceedings of a consensus conference of the Italian Society of Osseointegration (IAO, https://www.iao-online.com).

Patient, intervention, comparison, and outcome (PICO) question

The following focused questions were elaborated following the PICO format:

Population (P): patients receiving extraction and ARP

Intervention (I): ARP (using bone grafts or spontaneous healing) placing a biomaterial to seal the socket coronally (autogenous soft tissue grafts, allogeneic membranes (e.g., amnion-chorion membrane), resorbable collagen membranes (crosslinked [CM:Cross] or non-crosslinked [CM:NonCross], and non-resorbable membranes)

Comparison (C): ARP (using bone grafts or spontaneous healing) without placing a biomaterial to seal the socket (control, no sealing biomaterial)

Outcome (O): horizontal and vertical alveolar dimensional changes and percentage of new bone formation

Focused questions

In patients undergoing tooth extraction and ARP:

- 1) Is the placement of a biomaterial over the extraction socket beneficial compared to healing without coverage in terms of horizontal and vertical alveolar dimensional changes and percentage of bone formation?
- 2) What is the relative efficacy of different available biomaterials for sealing sockets during ARP as compared to each other?

Eligibility criteria

Randomized clinical trials with either parallel or split-mouth designs involving treatment of ≥ 10 patients (≥ 5 patients/group) that evaluated alveolar horizontal/vertical changes and/or newly formed vital bone after ARP with ≥ 2 -month follow-up were eligible for inclusion. Included studies must have had the same bone grafting material or spontaneous healing used in both test and control groups, with the

only difference being the type of biomaterial (membrane/ autologous soft tissue grafting) used for coverage. Studies using the same coverage biomaterial in both test and control groups were excluded. Additionally, studies where both the graft and coverage materials differed between test and control groups were also excluded, due to the difficulty of statistically isolating the effects of these two variables. For studies with multiple treatments, only the data pertinent to the present review were considered. Lastly, studies evaluating soft tissue changes alone or volumetric changes were excluded. Studies including sites with complete socket wall destruction were excluded; studies including contentive defects (without one or maximum two resorbed/destroyed walls) were included.

Search strategy

A literature search was carried out using electronic databases (MEDLINE (PubMed), EMBASE, Cochrane Central Register of Controlled Trials, Scopus), using an ad hoc search string that was adapted to each database: (((((("tooth extraction") OR "socket") OR "alveolus") OR "dental extraction")) AND ((((((((("bone grafts") OR "biomaterials") OR "autografts") OR "collagen") OR "cell therapy") OR "platelet concentrates") OR "alloplasts") OR "allografts") OR "xenograft") OR "bioceramic scaffolds"))) AND ((((("alveolar ridge preservation") OR "socket preservation") OR "socket grafting") OR "socket filling") OR "ridge maintenance"). The electronic search was conducted up to 4th April, 2021. A hand search was also performed through pertinent dental journals. The reference lists of all identified RCTs and relevant systematic reviews were scanned for possible additional studies. Online registries were also checked (http://clinicaltrials.gov/; http://www.centerwatch.com/clini caltrials/; http://www.clinicalconnection.com/). No language and date restrictions were made.

Study selection

Two reviewers (LC, GT) independently screened the titles and abstracts of retrieved articles to identify eligible studies. The full text of all the eligible articles was obtained. Publications not meeting the selection criteria were excluded. Disagreements were resolved by discussion or by consulting a third reviewer (MDF). Two reviewers (GT, SK) assessed each study to confirm eligibility, and the reasons for exclusion were noted.

Data collection

Relevant data to the study protocol (e.g., parallel or splitmouth design, flap or flapless technique, antibiotic prescription, presence or absence of the buccal wall, inclusion of smokers) were extracted from the included studies and reported in a predetermined datasheet.

Primary outcome measures

- 1. Horizontal dimensional changes after ARP measured clinically or radiographically at the crestal level, at different vertical distances from the crest or from landmarks (adjacent teeth or implants).
- 2. Vertical dimensional changes after ARP measured clinically or radiographically at the crestal level or at the buccal and palatal/lingual aspects.
- 3. Percentage of newly formed bone evaluated through histomorphometric analysis of biopsies.

All of the above parameters were evaluated \geq 2-month post-extraction.

Risk of bias assessment

Two independent reviewers (LC, SK) evaluated the methodologic quality of included studies as part of the data extraction process. The risk of bias of included RCTs was assessed based on the following criteria adapted from the Cochrane Handbook for Systematic Reviews of Interventions: randomization method, concealed allocation of treatment, blinding of outcome assessors, completeness of outcome assessment reporting, and completeness of information on reasons for withdrawal by trial group. All criteria were scored as adequate/inadequate/unclear. The domain regarding blinding of participants and personnel (performance bias) was not considered because in ridge preservation neither the surgeon nor the patient can be efficiently masked to the bone graft material used, especially when the control treatment is selfhealing. The reviewers contacted the authors of identified studies for clarification or to provide missing information as needed.

Studies were classified as low risk of bias (plausible bias unlikely to seriously alter the results) if all criteria were judged adequate; moderate risk of bias (plausible bias that raises some doubt about the results) if one or more criteria were considered unclear and none were considered inadequate; or high risk of bias (plausible bias that seriously weakens confidence in the results) if one or more criteria were judged inadequate. Disagreements between reviewers were resolved by discussion or by consulting with a third reviewer (MDF).

Data analysis

Since the outcomes of ARP depend on many factors such as the graft material, surgical technique (e.g., flap/flapless, the use of a membrane), baseline condition of the socket (e.g., presence/absence of buccal or vestibular/lingual walls, wall



thickness), post-operative management approach (e.g., antibiotic prophylaxis), and patient-specific response to treatment, a random-effects model according to DerSimonian and Laird was chosen to address variability. Both pairwise and network metaanalysis (NMA) were undertaken to obtain estimates for primary outcomes. The estimate of the effect of an intervention was expressed as mean differences (MDs) along with 95% confidence intervals (CIs). Heterogeneity among studies was assessed using Cochran's test for heterogeneity and was considered significant when p < 0.1. The quantification of heterogeneity was estimated with I^2 statistics. Substantial heterogeneity was considered when $l^2 > 50\%$. The software Review Manager (version 5.4, 2020; the Nordic Cochrane Center, the Cochrane Collaboration, Copenhagen, Denmark) was used for pairwise meta-analysis. Data from split-mouth and parallel group studies were combined using the generic inverse variance procedure. Meta-analysis was undertaken only when ≥ 2 studies with similar comparisons reporting the same outcome measures were found.


For NMA, the prediction intervals (PrIs) were calculated to predict future clinical effects by incorporating heterogeneity. Multidimensional ranking was also used to rank competing treatments. Inconsistency factor (IF) assess the presence of statistical inconsistency and netweight would assess, which comparison is affected more by high risk of bias studies. All analyses were done with Stata (version 16, StataCorp, College Station, TX) by one author (SK), with the commands xtgee, metan, mvmeta, network, and the routines from Chaimani et al. [18]. A two-tailed p value = 0.05 was considered statistically significant for hypothesis testing. Information regarding mean difference, SD, type of treatment, and number of subjects was collected from clinical studies. In situations where only one study was identified for a given comparison, the study was excluded because there would be network (geometry) disconnection, and no further analysis was possible. It was decided to divide data analysis according to the following categories, which are represented by the different sealing materials:

- 1. Control (no sealing)
- 2. Autogenous soft tissue grafts taken from the palate (CTG, connective tissue graft)
- 3. Allogeneic membranes (ACM, amnion-chorion membrane)
- 4. Resorbable collagen membranes (crosslinked or non-crosslinked)
- 5. Non-resorbable membranes

Results

Qualitative analysis of included studies

Fig. 1 provides a flowchart of the study selection process. The search strategy yielded a total of 2,147 items. After



Overall, 321 sockets (159 in the control group and 162 in test groups) were treated, and 312 sites were evaluated (156 in the control group and 156 in test groups). In two studies, the control and test sockets were left to heal spontaneously [13, 24]. The follow-up duration ranged from 3 to 12 months (mean 5.5 months). One study included sockets in which the buccal wall was absent [22]. Antibiotics were prescribed in 10 studies.

The scenarios presented in the included studies were the following:

- 1. Same type of bone graft with and without a membrane (Lim 2019, Perelman)
 - 43 sites in 43 points
- 2. Self-healing (SH) with and without a membrane (Mandarino, Lekovic)
 - 52 sites in 36 points
- 3. Same type of bone graft with different membranes in group 1 and 2 (Chiang, Hassan; Lim 2017; Natto, Arbab, Parashis, Engler-Hamm)
 - 187 sites in 168 points
- Same type of bone graft + autogenous soft tissue graft (CTG) vs resorbable non-crosslinked membrane (Meloni)
 - 30 sites in 30 points

There was a large degree of variability between studies in terms of (a) techniques and materials used; (b) outcomes investigated; (c) sites of tooth extraction; (d) timing of evaluation; (e) reason for extraction; (f) inclusion of compromised sockets; (g) use of antibiotics; and (e) flap vs. flapless extraction.

Additionally, some studies measured overall changes in the vertical or horizontal dimensions [19, 24], others distinguished between buccal and lingual/palatal measurements [12, 13], others estimated dimensional changes at the crestal level [11], and certain studies evaluated changes at different vertical levels apical to the crest [8, 11, 16, 17, 19–21, 23]. In the present review, the mean dimensional values were calculated and used to compare results of the 12 included articles.

The time interval between ARP and the post-surgical assessment varied between 3 and 12 months (see Table 2 for more details).

The techniques used to measure vertical and/or horizontal alveolar changes were different between studies, involving direct radiographs (either 2D or 3D) [8, 12, 16, 17, 19–21], digital scans of casts obtained by impressions [20], or clinical measurements using calipers [11, 13, 22]. Moreover, the



Fig. 1 Flowchart of the study selection process



sites of tooth extraction were variably distributed both in the mandible and in the maxilla and both in the anterior and posterior areas (see Table 2 for more details).

This systematic review and meta-analysis failed to draw strong conclusions mainly due to substantial heterogeneity among the 12 included studies, similar to results reported by a previous study on this topic [25].

Risk of bias analysis

Five studies were associated with a low risk of bias [8, 12, 16, 17, 21], and 7 were associated with a moderate risk [11, 13, 19, 20, 22–24] (Fig. 2).

Pairwise meta-analysis

The comparison "resorbable membrane vs no membrane" included three studies [20, 22, 24]. Lim et al. (in groups 2 and 3 of their study) [19] and Perelman et al. [22] placed xenograft in the sockets, while Mandarino et al. [13] and Lekovic et al. [24] left the sockets unfilled. However, only Lim et al.

[19] and Lekovic et al. [24] measured dimensional changes, while Perelman et al. [22] provided histomorphometric results. The use of a collagen membrane was associated with significant preservation of both horizontal (p < 0.00001) (Supplementary Fig. S1A) and vertical (p = 0.03) (Fig. S1B) dimensions. In both cases, heterogeneity was insignificant. Figure S2 shows pairwise meta-analysis for histomorphometric data. The use of collagen membranes resulted in significantly higher new bone formation (p = 0.003) compared to no membrane. No heterogeneity was detected.

Regarding other comparisons between sealing biomaterials, crosslinked vs. non-crosslinked collagen membranes were evaluated by two studies [20, 21]. Both studies used collagenated deproteinized bovine bone as the grafting material. The meta-analysis showed a significant advantage for non-crosslinked over crosslinked collagen membranes for both horizontal (p = 00005) (Fig. S3A) and vertical (p = 0.02) (Fig. S3B) dimensional changes. No heterogeneity was detected.

No other comparison was possible because there were not at least 2 studies which presented similar comparisons reporting the same outcome measures.



change
CBCT &
histomorphometric
analysis changes, vertical/ horizontal change Vertical/ horizontal horizontal change Soft tissue and hard change Cast analysis and CBCT horizontal horizontal horizontal horizonta Coverage test Outcomes change/ vital Vertical/ change tissue Vertical/ Vertical/ Vertical/ Vertical/ pone Resorbable collagen membrane Collagen membrane collagen membrane (NCL) Non-resorb-able PTFE membrane T1: NBCM**↓** able PTFE membrane able PTFE membrane membrane Non-resorb-Non-resorb-Resorbable Resorbable (NCL) (Lyso-Gide) (NCL) (CL)Mem-brane Y/N T1:Y T2:N Cancellous AG + buccal overlay XG T1. DBBM-C + NBCM T2. DBBM-C test material type/name matrix seal FDBA + DFDBA Blood clot DBBM-C DBBM-C Collagen AG+XG Material test XG XG ΑG XG XG SHable collagen collagen No memcollagen Coverage (ACM) No memchorion Amnion-Collagen (NCL) brane brane membrane Gide) membrane brane brane Resorbmembrane (NCL) (Biomemmem-Resorb- \overline{C} Resorbable able ctr Membrane Y/N z z \succ \succ \succ Cancellous AG + buccal overlay XG ctr material FDBA + DFDBA type/name Blood clot Blood clot DBBM-C DBBM-C sponge Collagen AG+XG Material control XG AGXG XG SHSH33 (21 included in this review)* n. tooth patients treated 45 30 20 28 24 6 incl. Y/N Y <20/d Smokers Яĸ $^{
m NR}$ Ж z z \succ Anti-biot-ics ĸ Ж \succ \succ cal wall Yes Yes Yes Yes Yes Yes Yes Flap-less Flap-less Flap-less Flap/ flap-less Flap Flap Flap Flap Second-Second-Inten-tion healing Second-Second-Secondary ary ary ary ary First First Sponsor ХR Ä \succ z z \succ \succ South Korea Country Saudia Brazil Korea Korea USA USA month mouth Parallel Parallel Parallel Parallel Parallel Study design Split-Split-Lim et al. Lim et al. [21] *[6] Hassan et al. [12] Natto et al. [8] Author Chang et al. [20] et al. [13] Arbab et al. [11] rino



Table 1 Study included

Table 1 (continued)

Histomor-phometric analysis Clinical vertical/horizon-tal change (internal and external) Vertical/ horizon-tal change clinical & radio-Vertical/ horizon-tal change CBCT Clinical healing, histology graphic Outcomes Resorbable membrane made of glycolide and lactide polymers Coverage test collagen matrix membrane (NCL) collagen membrane Polyglycolic acid and trimeth-ylene carbonate copolymer membrane resorbable Porcine collagen Resorbable (NCL) matrix (CL) Mem-brane Y/N z ABM/P-15+DFDBA + secondary closure test material type/name Blood clot DBBM DBBM FDBA Material test XG+AG AG XG XG SHcollagen mem-brane (NCL) acid and trimeth-ylene carbon-No mem-brane No memcopoly-Coverage polygly-colic brane mem-brane mer ate CTG ctr Mem-brane Y/N z \succ \succ ABM/P-15+DFDBA + primary closure ctr material type/name Blood clot DBBM DBBM FDBA Material control XG+AG 23 AG XG XG SHn. tooth patients treated 16 30 23 Ξ incl. Y/N Smokers Y < 10/dY < 10/d $^{
m NR}$ z Z Anti-biot-ics Z Buc-cal wall Yes Yes Yes Yes Yes Flap-less Flap/ flap-less Flap Flap Flap Flap First Vs Inten-tion healing Second-Second-Sec-ond-ary ary ary First First Sponsor R $^{
m NR}$ $_{\rm R}$ z Yugoslo-via Country Israel USA Italy USA Split-mouth month Parallel Parallel Parallel Study design Split-Perelman Engler-Hamm Parashis Lekovic et al. [24] et al. [23] Author et al. et al. [22] [17]



 Table 2
 Features of the study sample and outcomes for included studies

IdDIe 2 reaures	o nice	tudy sampie and ou	lable 2 Features of the study sample and outcomes for included studies	singles							
Authors	M/F	Age (mean, SD, range)	Tooth type/loca-tion (A/P)	Arch (max/ mand)	Follow- up, months	n.teeth ctr treated	n.teeth ctr evaluated	n.teeth test treated	n.teeth test evalu- ated	Main conclusions	Complications
Lim et al. [19] * 16/5		54.36 +/- 9.91 (T1) 53.9 +/- 6.7 (T2)	Posterior (molar)	13 maxilla/8 mandible	4	T2: 10	T2: 10	T1: 11	T1: 10	Alveolar ridge preservation without primary flap closure in molar areas is effective in minimizing ridge resorption. There were	0
										differences between test groups in clini- cal and histo- morphometric measurements	
Mandarino et al. [13]	10/10	10/10 46.2 +/- 15.6	Posterior	20 mandible	4	01	0	01	0	Ridge preservation using the d-PTFE membrane increased the formation of keratinized tissue. The membrane had no influence on the healing process	0



Table 2 (continued)

Complications NR Intentionally exposed ACM tion compared to d-PTFE, however aid post-operative VAS scores and height of the extraction ridge preservametric features membranes in the changes in histomorpho-There were no significant and improved socket or the is equally effective in Main concluin reducing sion, width, bone tissue the dimenquantity of differences the ECM between sions test evalun.teeth ated Ξ 21 n.teeth ctr n.teeth test evaluated treated Ξ 21 Ξ 21 n.teeth ctr treated Ξ 21 Followup, months α 21 maxilla/21 mandible 14 maxilla/8 mandible Arch (max/ mand) Tooth type/location (A/P) Anterior & premolars $^{\mathrm{NR}}$ Age (mean, SD, range) 60.0 +/- 10.0 (T) 60.5 +/-34-71 (54.88) 11.6 (C) 20/22 M/F 6/3 Hassan et al. [12] Chang et al. [20] Authors



	(2)										
Authors	M/F	Age (mean, SD, range)	Tooth type/location (A/P)	Arch (max/ mand)	Follow- up, months	n.teeth ctr treated	n.teeth ctr evaluated	n.teeth test treated	n.teeth test evalu- ated	Main conclusions	Complications
Lim et al. [21]	16/10	53.83 +/- 16.22 (T) 48.14 +/- 16.11 (C)	Anterior & premolars	Maxilla / mandible	4	15	14	15	12	The horizontal ridge alteration in ridge preservation did not differ significantly between using the non-cross linked and cross linked collagen membranes with collagenated bovine bone, but the vertical ridge alteration was more pronounced when using the cross linked membrane	Membrane exposure in the test group occurred in 47% and in the control group was 57% (8/14). Uneventful secondary healing was achieved in all cases
Natto et al. [8]	16/12	25 – 80 (55.4)	Single-rooted tooth (except lateral incisor)	23 Maxilla/5 mandible	4	14	14	41	14	Collagen matrix seal and CS, when combined with FDBA, significantly minimized ridge resorption in all dimensions and maintained buccal soft tissue thickness in sockets, however there was no significant difference between both groups	Z Z



Table 2 (continued)

lable 2 (continued)	(m)										
Authors	M/F	Age (mean, SD, range)	Tooth type/location (A/P)	Arch (max/ mand)	Follow- up, months	n.teeth ctr treated	n.teeth ctr evaluated	n.teeth test treated	n.teeth test evalu- ated	Main conclusions	Complications
Arbab et al. [11]	9/15	53 +/- 15 (PTFE) 52 +/- 15 (PTFE)	molars	22 maxilla/2 mandible	4	12	12	12	12	No significant difference (p > 0.05) was found in horizontal and vertical dimensional change between CM and d-PTFE group. Moreover, the percent vital bone was similar and not significantly different between both groups	0
Parashis et al. [16]	12/11	35–68 (54.2) (CM) 36–68 (54.8) (ECM)	Incisors & premolars	21 maxilla/2 mandible	4	=	Ξ	12	12	No significant differences were observed between CM and ECM group in clinical and radiographical soft tissue and hard tissue changes. However, significant correlations for changes in gingival thickness ($p = 0.001$) and crestal bone width ($p = 0.002$) with pre-operative buccal plate thickness were observed	I pt in the CM group presented post-surgical infection with exfoliation of the graft
Meloni et al. [17]	12/18	12/18 26–72 (48)	Anterior	Maxilla	12	51	15	15	15	in-	0



Authors MF Age (needs 15Pe) Rock (15Pe) Took (15Pe) Follow- in seeth created and conduction (15Pe) Insect to the conduction of a conduction (15Pe) Main conclusion (15Pe) Complication (15Pe) Main conclusion (Table 2 (continued)	ed)									
11 13 12 12 13 14 15 15 15 15 15 15 15	Authors	M/F	Age (mean, SD, range)	Arch (max/ mand)	Follow- up, months	n.teeth ctr treated	n.teeth ctr evaluated	n.teeth test treated	n.teeth test evalu- ated	Main conclusions	Complications
4.7 20-57 (41.09) Posterior Maxilla 6 111 11 11 11 11 Ridge preservation without flap advance— ment preserves more kerati- 1.06 52.6 +/-11.8 Amerior & Maxilla/man 6 16 16 16 16 Alveolar ridge preservation of principle and lactific polyments accompared to sites without promptone or preservation of the alveolar bone files or compared to sites without preservation preservation of the alveolar bone preservation preservation of the alveolar bone preservatio	Perelman et al. [22]	7/16	26–68	18 Maxilla/5 mandible	6	===	Ξ	13	12	Bone area fraction was found significantly higher in group augmented with DBBM and collagen membrane (<i>p</i> < 0.05)	0
10/6 52.6 +/- 11.8 Anterior & Maxillalman- 6 16 16 16 16 Alveolar rigge preservation with bioab-sorbable membrane and of glycolide and lactide polymers showed significantly less loss of alveolar bone height, more internal socket bone fill, and less horizontal resorption of the alveolar bone ridge, compared to sites without	Engler-Hamm et al. [23]	7/4	20–57 (41.09)	Maxilla	Q	==	Ξ	==	Ξ	Ridge preserva- tion without flap advance- ment preserves more kerati- nized tissue and has less post-operative discomfort and swelling	N.
	Lekovic et al. [24]	10/6		Maxilla/man-dible	©	16	16	16	16	Alveolar ridge preservation with bioabsorbable membrane made of glycolide and lactide polymers showed significantly less loss of alveolar bone height, more internal socket bone fill, and less horizontal resorption of the alveolar bone ridge, compared to sites without membrane	0






Fig. 2 Risk of bias graph

Network meta-analysis

Allogeneic membranes were not considered in the NMA because only one included study used it [12]. Also, the effect of primary vs secondary healing could not be assessed, as it was heterogeneously reported, and comparisons were unfeasible (Table 3).

Vertical outcomes

Fig. 3A shows the network geometry plot for the overall vertical dimensional changes. The size of the blue circles


is proportional to the sample size for each sealing biomaterial. The thickness of the lines connecting two circles is proportional to the number of studies comparing two treatments. Resorbable non-crosslinked collagen membranes (CM:NonCross) were the most highly represented coverage biomaterial utilized. Fig. 3B shows the effect size and confidence intervals for each comparison. Values to the left of the vertical blue line indicate favorable outcomes for the test group (e.g., in the top group, CM:NonCross, CM:Cross, and Nonresorb were test groups, and Con was the control group). Confidence intervals (black horizontal lines) not crossing the blue line indicate significant differences relative

Table 3 Grading of network meta-analysis evidence

		Direct evidence		Indirect evidence		Network evidence	
		Odds ratio (95% CI)	Quality of evi- dence	Odds ratio (95% CI)	Quality of evidence	Odds ratio (95% CI)	Quality of evidence
Horizontal	CM V CM:Cross	0.42 (-2.65, 3.49)	Low	-1.09 (-4.79, 2.61)	Moderate	1.51 (-3.30, 6.33)	Moderate
	Con V Nonresorb- able	-0.08 (-2.14, 1.97)	Low	1.42 (-2.92, 5.78)	Moderate	-1.51 (-6.33, 3.30)	Moderate
	CM:Noncross V Auto	0.04 (-0.93, 1.01)	Low	-3.56 (-4.66, -2.46)	High	3.60 (2.13, 5.07)	High
	CM:Cross V Auto	-3.25 (-4.19, -2.30)	High	0.35 (-0.77, 1.48)	Low	-3.60 (-5.07, -2.13)	High
	CM:Cross V CM:Noncross	0.30 (-0.90, 1.51)	Low	-1.65 (-4.07, 0.76)	Moderate	1.96 (-0.74, 4.66)	Moderate
	Nonresorbable V CM:Noncross	0.79 (-1.96, 3.56)	Low	-0.71 (-4.66, 3.24)	Low	1.51 (-3.30, 6.33)	Moderate
Vertical	Con V CM:Cross	0.36 (-2.30, 3.04)	Low	0.46 (-2.26, 3.19)	Low	-0.09 (-3.19, 3.72)	Low
	Con V Nonresorb- able	-0.70 (-1.93, 0.53)	Low	-0.79 (-4.40, 2.81)	Low	0.09 (-3.72, 3.91)	Low
	CM:Cross V CM:Noncross	0.46 (-0.75, 1.68)	Low	0.37 (-3.24, 3.99)	Low	0.09 (-3.72, 3.91)	Low
	Nonresorbable V CM:Noncross	-0.70 (-2.80, 1.40)	Low	-0.60 (-3.79, 2.57)	Low	-0.09 (-3.91, 3.72)	Low



Fig. 3 A Illustrates the network geometry plot for vertical dimensional changes. B Predictive interval and confidence interval plot for vertical dimensional changes. C The surface under the cumulative ranking curves (SUCRA) that expresses the percentage of effectiveness/safety each treatment has compared to an "ideal" treatment ranked always first without uncertainty. D Multidimensional scale ranking demonstrating the ranking of the sealing material in vertical dimensional outcomes based on dissimilarity



to the control. For example, in Fig. 3B, the first comparison indicates an insignificant advantage of CM:NonCross over the control group, while in the second comparison, the control group has an insignificant advantage over CM:Cross (CM:Cross more likely to perform better in future clinical studies). Fig. 3C illustrates the SUCRA ranking and suggests CM:Cross ranked higher in performance in vertical outcomes. Fig. 3D illustrates multidimensional ranking of the different sealing types based on dissimilarity of the material. The IF for vertical dimension outcome was illustrated in Fig. S4A and Fig. S4B. The ROB between comparisons was illustrated in Fig. 4C.

Horizontal outcomes

Fig. 4A shows the network geometry plot for overall horizontal dimensional changes. The most frequent comparison was between CM:NonCross and CM:Cross. Fig. 4B shows that all comparisons displayed an insignificant difference between sealing materials, as all confidence intervals overlapped with the vertical blue line. Autologous soft tissues and non-resorbable membranes are more likely to perform better in future clinical studies. Based on Fig. 4C, it illustrates the SUCRA ranking and suggestive of autologous soft tissue material ranked higher in performance in horizontal outcome. Fig. 4D illustrates multidimensional ranking which ranked the sealing material based on the dissimilarity of the material. The IF for horizontal outcome was illustrated in Fig. S5A and Fig. S5B and ROB between comparisons was illustrated in Fig. S5C.

Histomorphometric outcomes

Histomorphometric NMA analysis included studies of Arbab et el., Lim et al., and Engler-Hamm et al. [11, 19, 23]. Network geometry plot for histomorphometric analyses is illustrated in Fig. 5A. There are only three studies and hence were not able to predict which sealing material would perform better in future clinical studies. However, we used forced function in the STATA commands to generate ranks for the sealing materials. The SUCRA ranking suggests that CM:Noncross ranked highest in performance (Fig. 5B). Fig. 5C illustrates the multidimensional scale ranking based on dissimilarity between two competing treatments. This gives a picture on the level of dissimilarity in individual dataset. The ROB between comparisons was illustrated in Fig. S6.

Discussion

The use of bone graft and coverage biomaterials during ARP has been shown to result in superior treatment outcomes compared with unassisted socket healing regarding preservation of ridge width and height.

The great heterogeneity of the included studies prevented a balanced comparison among these articles and made it difficult to consider the contribution of all the confounding factors towards treatment outcomes.

In this review, the authors included articles in which comparisons are done between spontaneous healing versus



Fig. 4 A Illustrates the network geometry plot for horizontal dimensional changes. B Predictive interval and confidence interval plot for horizontal dimensional changes. C The surface under the cumulative ranking curves (SUCRA) that expresses the percentage of effectiveness/safety each treatment has compared to an "ideal" treatment ranked always first without uncertainty. D Multidimensional scale ranking demonstrating the ranking of the sealing material in horizontal dimensional outcomes based on dissimilarity





Fig. 5 A Illustrates the network geometry plot for histomorphometric changes. B The surface under the cumulative ranking curves (SUCRA) that expresses the percentage of effectiveness/safety each treatment has compared to an "ideal" treatment ranked always first without uncertainty. C Multidimensional scale ranking demonstrating the ranking of the sealing material in histomorphometric outcomes based on dissimilarity



spontaneous healing associated to the use of a membrane [Mandarino e Lekovic]: the reader may speculate that the shrinkage of horizontal bone could be because of the lack of bone graft material and not because of the sealing material. The authors are convinced that this comparison is interesting because in comparing no material with or without a

membrane, the difference between the two groups will be due to the membrane/soft tissue and not to the bone graft itself.

The standard pairwise meta-analysis comparing the same two coverage biomaterials could only aggregate the data from two studies per outcome. For the comparison between resorbable membranes and the control group, all the forest



plots found a statistically significant difference in favor of the groups using resorbable membranes, with no statistically significant heterogeneity. In the studies evaluating dimensional changes, the test and control groups were filled with the same graft material (collagenated deproteinized bovine bone matrix in the study by Lim et al. [19] and no grafting material in the study by Lekovic et al. [24]), suggesting that any observed differences were likely due to the choice of coverage biomaterial.

For the comparison between crosslinked and non-crosslinked collagen membranes, both plots found a statistically significant difference in favor of the latter membrane type. It is well-known that the crosslinked membranes, even if with a better resistance to degradation, are less biocompatible than non-crosslinked ones [26, 27]. Moreover, the crosslinked membranes performed statistically significantly better if non-exposed [26]. For this reason, it might be speculated that, mostly in thin gingival phenotypes, the lower biocompatibility and the possible consequent exposure of the membrane could play a role in the lower clinical performance of the crosslinked membranes.

In order to compare results obtained with different coverage biomaterials, a NMA employing direct and indirect comparisons was performed. The network geometry plot for the overall vertical changes showed a moderate level of reliability (yellow line) for the comparison between non-crosslinked resorbable membranes and the control group. In contrast, a lower level of reliability was found for the comparison between non-resorbable membranes and the control.

The same plot was used to compare the overall horizontal changes. In this case, a high level of reliability (green line) was found for the comparison between crosslinked and non-crosslinked resorbable membranes and, to a lesser extent, between non-crosslinked resorbable membranes and autogenous soft tissue grafts. A moderate level of reliability (yellow line) was found for the comparison between non-crosslinked resorbable membranes and the control group. The width of the green and yellow lines in this latter plot was related to a high degree of homogeneity among included studies and a minor risk of bias. Reliability depends not only on the amount of evidence (number of studies and number of patients) but also on the heterogeneity within study results and the variability between different studies (e.g., size of the standard deviations).

In terms of the predictive interval plot for the socket preservation network, differences between horizontal and vertical changes were found. None of the comparisons showed a statistically significant difference. For horizontal changes, the autogenous group was associated with superior outcomes compared to crosslinked and non-crosslinked resorbable membranes, although this comparison was not statistically significant. Regarding vertical changes, crosslinked membranes showed poorer

results both in terms of the number of studies and the clinical outcome. The sealing biomaterial which had the highest probability of preserving the horizontal dimension was the autogenous group, followed by non-resorbable membranes. These results must be taken cautiously as they were derived from a limited number of articles with a low sample size. Obviously, more studies with larger numbers of patients are necessary to confirm these findings.

From a histological point of view, only 5 studies were included [11, 12, 19, 22, 23]; the others did not present a histologic analysis. However, it must be highlighted that a substantial inconsistency was found in the 5 selected studies. In fact, only Hassan et al. [12] made a comparison between test (amnion-chorion membrane (ACM)) and control groups (d-PTFE) in terms of percentage of newly formed bone.

Specifically, the use of an amnion-chorion membrane seemed to provide a better quality of newly formed bone, with a greater amount of new osteoid formation (8.31% vs 3.5%) and a lower number of graft particles (6.76% vs 12.31%) compared to the control group treated with an d-PTFE membrane. This might suggest that amnion-chorion membrane produced a relatively more rapid bone turnover rate. Other authors presented only mean values without a real comparison between different groups. For this reason, the network plot demonstrated inconsistency among studies which prevented further statistical analysis.

The main limitations of the present review are the small number of studies included and a relatively high heterogeneity among studies, in terms of treatment approaches, materials used, follow-up duration, and outcome assessment. Therefore, the findings of the present NMA must be interpreted cautiously.

Conclusion

According to the results of the network meta-analysis, only some trends regarding the use of different sealing materials can be found: no specific sealing techniques and/ or biomaterials can be recommended over another in the context of ARP due to a lack of sufficient data. Only some trends can be highlighted, as shown in the results. The limited number of studies comparing ARP with and without biomaterials to seal the socket suggests that the application of a membrane is associated with superior results in terms of preservation of alveolar ridge dimensions. The RCTs studying this topic with larger sample sizes are needed in order to better elucidate the effects of different coverage biomaterials on ARP treatment outcomes.



Supplementary Information The online version contains supplementary material available at https://doi.org/10.1007/s00784-021-04262-3.

Funding Open access funding provided by University of Bern. The work was self-supported.

Declarations

Ethics approval This article does not contain any studies with human participants or animals performed by any of the authors.

Consent to participate For this type of study, formal consent is not required.

Conflict of interest The authors declare no competing interests.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

References

- Tan WL, Wong TL, Wong MC, Lang NP (2012) A systemic review of post-extraction alveolar hard and soft tissue dimensional changes in humans. Clin Oral Implants Res 23(suppl 5):1–21
- Van der Weijden F, Dell'Acqua F, Slot DE (2009) Alveolar bone dimensional changes of post-extraction sockets in humans: a systematic review. J Clin Periodontol 36:1048–1058
- Huynh-Ba G, Pjetursson BE, Sanz M, Cecchinato D, Ferrus J, Lindhe J, Lang NP (2010) Analysis of the socket bone wall dimensions in the upper maxilla in relation to immediate implant placement. Clin. Oral Impl. Res. 21:37–42. https://doi.org/10.1111/j. 1600-0501.2009.01870.x
- Schropp L, Wenzel A, Kostopoulos L, Karring T (2003) Bone healing and soft tissue contour changes following single-tooth extraction: a clinical and radiographic 12-month prospective study. Int J Periodontics Restorative Dent 23:313–323
- Jambhekar S, Kernen F, Bidra AS (2015) Clinical and histologic outcomes of socket grafting after flapless tooth extraction: a systematic review of randomized controlled clinical trials. J Prosthet Dent 113(5):371–382. https://doi.org/10.1016/j.prosdent.2014.12. 009
- Mardas N, Trullenque-Eriksson A, MacBeth N, Petrie A, Donos N (2015) Does ridge preservation following tooth extraction improve implant treatment outcomes: a systematic review. Clin Oral Implants Res 26(Suppl. 11):180–201. https://doi.org/10.1111/clr.12639
- Balli G, Ioannou A, Powell CA, Angelov N, Romanos GE, Soldatos N (2018) Ridge preservation procedures after tooth extractions: a systematic review. Int J Dent 2018:8546568. Published 2018. https://doi.org/10.1155/2018/8546568

- Natto ZS, Parashis A, Steffensen B, Ganguly R, Finkelman MD, Jeong YN (2017) Efficacy of collagen matrix seal and collagen sponge on ridge preservation in combination with bone allograft: a randomized controlled clinical trial. J Clin Periodontol 44(6):649– 659. https://doi.org/10.1111/jcpe.12722
- Wang RE, Lang NP (2012) Ridge preservation after tooth extraction. Clin Oral Implants Res 23(Suppl 6):147–156. https://doi.org/10.1111/j.1600-0501.2012.02560.x
- Avila-Ortiz G, Elangovan S, Kramer KW, Blanchette D, Dawson DV (2014) Effect of alveolar ridge preservation after tooth extraction: a systematic review and meta-analysis. J Dent Res 93(10):950–958. https://doi.org/10.1177/0022034514541127
- Arbab H, Greenwell H, Hill M, Morton D, Vidal R, Shumway B, Allan ND (2016) Ridge preservation comparing a nonresorbable PTFE membrane to a resorbable collagen membrane: a clinical and histologic study in humans. Implant Dent 25(1):128–134. https://doi.org/10.1097/ID.000000000000370
- Hassan M, Prakasam S, Bain C, Ghoneima A, Liu SS (2017) A randomized split-mouth clinical trial on effectiveness of amnionchorion membranes in alveolar ridge preservation: a clinical, radiologic, and morphometric study. Int J Oral Maxillofac Implants 32(6):1389–1398. https://doi.org/10.11607/jomi.5875
- Mandarino D, Luz D, Moraschini V, Rodrigues DM, Barboza ESP (2018) Alveolar ridge preservation using a non-resorbable membrane: randomized clinical trial with biomolecular analysis. Int J Oral Maxillofac Surg 47(11):1465–1473. https://doi. org/10.1016/j.ijom.2018.06.011
- Jung RE, Kokovic V, Jurisic M, Yaman D, Subramani K, Weber FE (2011) Guided bone regeneration with a synthetic biodegradable membrane: a comparative study in dogs. Clin Oral Implants Res 22(8):802–807. https://doi.org/10.1111/j.1600-0501.2010.02068.x
- Pinotti FE, Pimentel Lopes de Oliveira GJ, Scardueli CR, Costa de Medeiros M, Stavropoulos A, Chiérici Marcantonio RA (2018) Use of a non-crosslinked collagen membrane during guided bone regeneration does not interfere with the bone regenerative capacity of the periosteum. J Oral Maxillofac Surg 76(11):2331.e1–2331.e10. https://doi.org/10.1016/j.joms.2018. 07.004
- Parashis AO, Hawley CE, Stark PC, Ganguly R, Hanley JB, Steffensen B (2016) Prospective clinical and radiographic study of alveolar ridge preservation combining freeze-dried bone allograft with two xenogeneic collagen matrices. J Periodontol 87(4):416–425. https://doi.org/10.1902/jop.2016.1505008
- Meloni SM, Tallarico M, Lolli FM, Deledda A, Pisano M, Jovanovic SA (2015) Postextraction socket preservation using epithelial connective tissue graft vs porcine collagen matrix. 1-year results of a randomised controlled trial. Eur J Oral Implantol Spring 8(1):39–48
- Chaimani A, Higgins JP, Mavridis D, Spyridonos P, Salanti G (2013) Graphical tools for network meta-analysis in STATA. PLoS One 8(10):e76654. https://doi.org/10.1371/journal.pone.0076654
- Lim HC, Shin HS, Cho IW, Koo KT, Park JC (2019) Ridge preservation in molar extraction sites with an open-healing approach: a randomized controlled clinical trial. J Clin Periodontol 46(11):1144–1154. https://doi.org/10.1111/jcpe.13184
- Chang H, Kim S, Hwang JW, Kim S, Koo KT, Kim TI, Seol YJ, Lee YM, Ku Y, Lee JH, Rhyu IC (2017) Comparative, randomized, double-blind clinical study of alveolar ridge preservation using an extracellular matrix-based dental resorbable membrane in the extraction socket. J Periodontal Implant Sci 47(3):165–173. https://doi.org/10.5051/jpis.2017.47.3.165
- Lim H-C, Jung U-W, You H, Lee J-S (2017) Randomized clinical trial of ridge preservation using porcine bone/cross-linked collagen vs. bovine bone/non-cross-linked collagen: cone



- beam computed tomographic analysis. Clin Oral Implants Res 28(12):1492–1500. 00, 1–10. https://doi.org/10.1111/clr.13017
- 22. Perelman-Karmon M, Kozlovsky A, Liloy R, Artzi Z (2012) Socket site preservation using bovine bone mineral with and without a bioresorbable collagen membrane. Int J Periodontics Restorative Dent 32(4):459–465
- Engler-Hamm D, Cheung WS, Yen A, Stark PC, Griffin T (2011) Ridge preservation using a composite bone graft and a bioabsorbable membrane with and without primary wound closure: a comparative clinical trial. J Periodontol 82(3):377–387. https://doi.org/10.1902/jop.2010.090342
- Lekovic V, Camargo PM, Klokkevold PR, Weinlaender M, Kenney EB, Dimitrijevic B, Nedic M (1998) Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. J Periodontol 69(9):1044–1049. https://doi.org/10.1902/jop.1998.69.9. 1044
- Faria-Almeida R, Astramskaite-Januseviciene I, Puisys A, Correia F (2019) Extraction socket preservation with or without membranes, soft tissue influence on post extraction alveolar ridge preservation: a systematic review. J Oral Maxillofac Res 10(3):e5. https://doi.org/10.5037/jomr.2019.10305
- Sbricoli L, Guazzo R, Annunziata M, Gobbato L, Bressan E, Nastri L (2020) Selection of collagen membranes for bone regeneration: a literature review. Materials (Basel) 13(3):786. https://doi.org/10.3390/ma13030786
- Bunyaratavej P, Wang HL (2001) Collagen membranes: a review. J Periodontol 72(2):215–229. https://doi.org/10.1902/jop.2001.72.2.215

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Authors and Affiliations

Massimo Del Fabbro^{1,2} · Grazia Tommasato¹ · Paolo Pesce³ · Andrea Ravidà⁴ · Shahnawaz Khijmatgar¹ · Anton Sculean⁵ · Matthew Galli⁴ · Donato Antonacci⁶ · Luigi Canullo⁵ □

- ☐ Luigi Canullo luigicanullo@yahoo.com
- Department of Biomedical, Surgical and Dental Sciences, Università degli Studi di Milano, Milan, Italy
- ² IRCCS Orthopedic Institute Galeazzi, Milan, Italy
- University of Genova, Genoa, Italy

- ⁴ University of Michigan, Ann Arbor, USA
- Department of Periodontology, University of Bern, Bern, Switzerland
- ⁶ Bari, Italy

